


#### Autumn Term Newsletter Issue 19 - 10th February

As we reach the end of the half-term, we'd like to thank parents and carers for your continued support. We've seen our children make great progress, achieve many next steps and it is clear that children are now knowing and remembering more. We're also still celebrating the outcome of our recent SIAMS inspection which noted some real strengths of the school.

We really enjoyed this week's DT day which gave pupils across the school to apply this half-term's design and technology skills.

During our last parent survey, many parents were asking for further signposting and support

for how to help their child at home. On our school website, you will find a tab under "parents" which give you links, games and useful documents to support your child at home. This also includes home learning packs if you wish to consolidate your child's recent topic learning.







After half-term, we'll be asking our PFA to meet with our School Council about so the children can share the results of the recent pupil survey they completed to find out how break times and lunch times can be improved.


Have a wonderful half-term.

Miss Jane





### <u>Awards</u>



Kwilkyn
Lottie for helping younger
children

# Pedrevan Martin for using Set 2 sounds in his writing

## <u>Lostledan</u> Isabelle for trying hard with your spellings





The cost for School Dinners is £2.41 which you order via Parentpay. If you are having problems, please contact the office.

**Breakfast Club** - 7:45am to 8:30am (£3.50)

**After School Club** - 3pm to 6pm (£3.00, £4.00 & £6.50) Please book your child either on Parentpay or

contact the school office






Uniform can be purchased from Cornwall Screenprint who can be contacted on 01726 68689 or email infor@cornwallscreenprint.co.uk

**School Office** - 01726 882644

#### **Email**

gwc-secretary@rainbowacademy.org.uk





Extra Bank Holiday 8th May 2023 24th & 25th July 2023

#### Sickness and Absences

Please be reminded that all absences must be reported by ringing the school office on 01726 882644. If your child has a cough or a cold they should still come to school unless you feel they are too unwell to be here; in which case they should stay at home and rest until they are well enough to return.

#### **Important Notice**

Important Notice! Any clubs or organisations who we advertise through our Newsletter and are not affiliated with Grampound with Creed School are reminded that they must have the necessary insurance, qualifications and DBS checks in place. This is to ensure the welfare of the children and is not the responsibility of Grampound with Creed School.



If you are in need of some uniform we have a range of pre-loved items available for a donation. Please contact Mrs Warren on 07712262471 to discuss any items you need.



Please ensure that the school is informed before 2.45pm if anyone other than parents are collecting your child/ren.

If you have a number of people who pick up, please contact the office to ensure that we know who they

## **Spring Term After School Clubs**

Monday - Reading Club with Mrs Martin

Tuesday - Maths Club with Mr Keyes (Year 5/6 only)

Tuesday - Wild Tribe with Mrs Hayes

Thursday - Sports Club with Mr Nicholas





At Grampound with Creed, reading is a priority.

We are dedicated to helping children to love reading, both in their early years of reading, but also for the rest of their lives. Our staff recognise that 'Reading for pleasure is the single most important indicator of a child's future success' (Organisation for Economic Co-operation and Development, 2002) and that reading encourages imagination, empathy and mindfulness of others.

Each week, we'll be celebrating the children who've been noticed for a special achievement in reading.

#### This week's reading awards go to...

Priscilla
Rhys
Charlotte
Harrison
Kaydee
Ben



#### **YOGA CLASSES**

If anyone is interested in a Yoga class for children please text Charly & Rosie's mum on 07873536695 to express an interest as this is something she is looking into running.

#### **Guidance on infection prevention and control** in schools and childcare settings#

Updated: November 2022

Remember you can help prevent the spread of infections by checking children have had their routine immunisations, maintaining a clean environment, and ensuring good personal hygiene (among staff and children), especially ensuring regular hand washing.

UK Health Security Agency (UKHSA) Health Protection Team For outbreaks or advice please contact the UKHSA South West Centre HPT on 0300 3038162 or email SWHPT@UKHSA.GOV.UK

Rashes and skin infections	Recommended period to be kept away from school or childcare setting	Comments		
Chickenpox and shingles	Five days from orset of rash and until all lesions have crusted over	Advise pregnant women to contact their GP If exposed and unsure If they have previously been infected		
Cold Sores (Herpes Simplex)	None	Cold sores remain contagious until they are completely healed. They are generally mild and heal without treatment (7-10 days). Avoid kissing and without treatment (7-10 days). Avoid kissing and close skin to skin contact of the sore - Don't share kems that come into contact with the affected areas (cutiery / lip balm)		
Hand, Foot and Mouth	None	Contact your UKHSA HPT If many children are affected. Exclusion may be considered in some circumstances		
Impetigo	Until lesions are crusted over or 48 hours after antibiotic treatment has been started	impetigo is highly infectious, and it is spread by direct contact Antibiotic treatment speeds healing and reduces the infectious period		
Measles"	Excluded as soon as measles is suspected until five days after the onset of rash	Contact UKHSA HPT as soon as measies cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupils and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP immediately.		
Molluscum contagiosum	None	A self-limiting condition. The lesions will resolve over time without any treatment		
Parvovirus or Fifth disease (slapped cheek)	None (once rash has developed)	Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife following exposure		
Panton- Valentine Leucocidin (PVL)	None If they feel well	individuals should not take part in contact sports or use communal gym equipment until their skin lesion has totally healed. For further guidance contact UKHSA HPT		
Ringworm (Incl foot ringworm - athletes' foot)	Exclusion is not required for individuals with athlote's foot, individuals with skin and scalp ringworm can return to school once they have started treatment with anti-fungal agents.	Treatment is required		
Rubella (German Measles)*	Six days from onset of rash	Preventable by immunisation (MMR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP		
Scables	Until after the first treatment has been completed	Household and close contacts require treatment at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT		
Scarlet Fever	Exclude until 24 hours of appropriate antibiotic treatment complete	A person is infected for 2-3 weeks l'antiblotics are not administered, in the event of 2 or more suspected cases, contact UKHSA HPT		
Warts and Verrucas	None	Verrucas should be covered in swimming pools, gymnasiums and changing rooms		
Respiratory Infections	Recommended period to be kept away from school or childcare setting	Comments		
COMD-19	Until temperature has resolved and they are well enough. If tested positive, child should stay home for 3 days.	Report outbreaks in line with local policy		
Flu (Influenza)	Until recovered	Report outbreakto yourlocal UKHSA HPT		
Tuberculosis*	When diagnosed with TB a treatment team will assess whether other people are at risk of infection and require screening	Requires prolonged close contact for spread. Only pulmonary TB is infectious to others. Always consult your local UKHSA HPT before disseminating information to staff/carers		
Whooping Cough" (Portussis)	Until they have had 48 hours of appropriate antiblotic treatment and feel well enough to return. OR after 21 days from onset	Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks. Your UKHSA HPT will organise any contact		



Nanaging spedific infectious diseases: Ato Z bit Jy/diseasesAtoZ

Infectious

bit.ly/ExclusionTable



resource centre bit Jy/PHEResources



and Poster Centre

bit Jy/ OutbreakActionCards

ckenpox I shingles	and until all lesions have crusted over	exposed and unsure if they have previously been infected	Diarrhoea and Vomiting (Gastroenteritis) Bacteria Campylobacter Salmonella Shipella (bacillary dysentery) E.coli 0157 Viruses Rotavirus Small round structured viruses	Should be regarded as very Infectious and must be kept away from school until the clarifloed and vemitting has stopped for at least 48 hours They must have been passing normal stoots for at least 48 hours Some Gastro Infections (Uke E.coll 0157) require	An infection in the gut causing diarrhoea and womiting (gastroenteritis) can be easily passed to others. Good hygiene, in particular handwashing and environmental cleaning, are important to minimize any danger of spread. Exclusion from swimming is advisable for two weeks after the diarrhoea has settled. If an outbreak occurs, consult UKHSA HPT Adiarrhoea and womiting checklist for
d Sores rpes Simplex)	None	Cold sores remain contagious until they are completely healed. They are generally mild and heal without treatment (7-10 days) - Avoid kissing and close skin to skin contact of the sore - Don't share items that come into contact with the affected areas (cutiery / 8p balm)			
nd, Foot and uth	None	Contact your UKHSA HPT If many children are affected. Exclusion may be considered in some circumstances			
oetigo	Until lesions are crusted over or 48 hours after antibiotic treatment has been started	Impetigo is highly infectious, and it is spread by direct contact Antibiotic treatment speeds healing and reduces the infectious period			
asles"	Excluded as soon as measles is suspected until five days after the onset of rash	Contact UKHSA HPT as soon as measies cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupils and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP immediately.	(e.g. Horovirus or Winter Vomiting Disease) Parasites Cryptosporidium Glardia	microbiology clearance and UKHSA will advise on these	schools can be found in the UKHS A health protection in schools guidance (QR code above).
lluscum tagiosum	None	A self-limiting condition. The lesions will resolve over time without any treatment	Other	Recommended period to be kept away from school or	Comments
vovirus or h disease	None (once rash has developed)	Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife	Infections	childcare setting	Advise parents to seek advice immediately if
oped cheek) ston- entine	None If they feel well.	individuals should not take part in contact sports or use communal gym equipment until their skin	(bacterial or viral)	Exclusion is not required unless they are particularly unwell	there is a possibility their baby has infective conjunct witis. If an outbreak/cluster occurs, consult your UKHSA HPT
icocidin (PVL)	Exclusion is not required for	ksion has totally healed. For further guidance contact UKHSA HPT	Diphtheria*	Exclusion is essential. Always consult with your UKHSA HPT	Preventable by vaccination. Family contacts must be excluded until cleared to return by your UKHSA HPT. UKHSA HPT will organise
gworm Hoot ringworm	individuals with athlete's foot. Individuals with skin and scalp ringworm can return to	Treatment is required	Glandular Fever	None	any contact tracing necessary  Spread is by salive, usually through kissing or being in close contact with a carrier
hietes' foot)	school once they have started treatment with anti-fungal agents		Head Lice	None	Treatment is recommended only in cases where live lice have been seen
bella man Measles)*	Six days from onset of rash	Preventable by Immunisation (MMR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP	Hepatitis A*	Exclude until seven days after onset of jaundice (or seven days after symptomonset if no jaundice)	Household contacts of Individuals with Hepatitis Amay occasionally require exclusion from school. Contact local UKHSA HPT who will advise on any action
bles	Until after the first treatment has been completed	Household and close contacts require treatment at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT	Hepatitis B , C ,	Jamacey	need ed  Hepatitis B and C and HM are blood borne  viruses that are not infectious through
rlet Fever*	Exclude until 24 hours of appropriate antibiotic treatment complete	A person is infected for 2.3 weeks if antibiotics are not administered. In the event of 2 or more suspected cases, contact UKHSA HPT	HIV/AIDS	None if they are well enough	casual contact. See UKHSA guidance document above
rts and rucas	None	Verrucas should be covered in swimming pools, gymnasiums and changing rooms	Moningococcal Moningitis"/ Septicaemia"	Until recovered. There is no reason to exclude any siblings or other close contacts of the case from school.	Neningitis ACWY and B are proventable by vaccination. Contact local UKHSA HPT who will advise on any action needed
piratory ections	Recommended period to be kept away from school or childcare setting Until temperature has	Comments	Meningitis" due to other bacteria	Until recovered	Hib and Pneumococcal Meningitis are preventable by vaccination. Contact local UKHSA HPT who will advise on any action needed
ND-19	resolved and they are well enough. If tested positive, child should stay home for 3 days.	Report outbreaks in line with local policy	Meningitis viral*	Until recovered There is no reason to exclude any siblings or other close contacts of the case from school	Milder liness than bacterial meningitis.
(influenza)	Until recovered	Report outbreakto yourlocal UKHSA HPT	Mumme	Exclude child for five days after	It is very contagious and spread in saliva, the
erculosis*	When diagnosed with TB a treatment team will assess whether other people are at risk of infection and require	Requires prolonged close contact for spread. Only pulmonary TB is infectious to others. Always consult your local UKHSA HPT before	Mumps (paramycovirus)*	onset of swelling	same way as a cold or flu. Preventable by vaccination (MMR x2 doses). Promote MMR to pupils and staff
ooping igh" tussisj	screening Unit they have had 48 hours of appropriate antiblotic treatment and feel well enough to return. OR after 21 days from onset of illness if no antiblotic treatment has been taken	disseminating information to staff/carers  Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks.  Your UKHSA HPT will organise any contact tracing necessary	Infestations (Induding hookworm, roundworm, tapeworm, threadworm, and whipworm)	None	Treatment is recommended for the child and household contacts    November 2002   p. 2002

# Pre-school, nursery, or childminder

 denotes a notifiable disease. It is a statutory requirement that doctors report a notifiable disease to the proper officer of the local authority (for some local authorities, this may be UKHSA) in addition, you may need to inform other regulating bodies, for example Office for Standards in Education (OFSTED) or Care Quality Commission (CQC). Please follow local policy.

