

#### Week beginning 18th March 2024

We had a fantastic Eucharist Service this afternoon at St Nun's Church. We were so pleased to see so many parents and carers and members of our school community join us to celebrate. A huge well done to the children who took part in reading prayers - it was a special occasion to see our year 6 pupils take part in Communion for their final year.

Don't forget, there is still time to donate to the Chocolate Tombola as it has been moved to next Wednesday 27th March after school. If your child would also still like to take part in the PFA Easter egg decorating competition, there is still time to get any final entries to Emma in the school office by lunch time on Monday.

We have a final busy few days ahead of the spring term. On Wednesday next week, we have pupils from Lostledan heading off to represent the school to take part in Funfest and Kwilkyn are off to the Maritime Museum.

There will be no School Clubs running next week 25th - 28th March and no Wraparound Care on Thursday 28th March. School will finish at 3pm on this day although Breakfast Club will run as usual on Thursday 28th March.

Have a great weekend. Miss Jane



# Diary Dates



#### March

Wednesday 27th March—Easter Chocolate Tombola at 3pm

Wednesday 27th March— Kwilkyn Class Trip to Maritime Museum

Wednesday 27th March—FunFest at the Roseland Academy

# April


17th April - Parent Consultations

18th April - Parent Consultations

19th April - Bikeability (Year 5)

22nd April - Bikeability (Year 5)

22nd April – Meet the Lifeguards (Kwilkyn)





# This week's Awards



Iris for beautiful singing at

the church this week.

Isabelle for being a fantastic role model at the church

Kwikyn

Indigo for fantastic reading in the

Church





The cost for School Dinners is £2.41 which you order via Parentpay. If you are having problems, please contact the office.

Breakfast Club - 7:45am to 8:30am (£3.50)

After School Club - 3pm to 6pm (£3.00, £4.00 & £6.50) Please book your child either on Parentpay or contact the school office for half an hour sessions.






Uniform can be purchased from Cornwall Screenprint who can be contacted on 01726 68689 or email infor@cornwallscreenprint.co.uk

School Office - 01726 882644

Email

gwc-secretary@rainbowacademy.org.uk

https://grampound-creed.eschools.co.uk/web/home



#### Sickness and Absences

Please be reminded that all absences must be reported by ringing the school office on 01726 882644. If your child has a cough or a cold they should still come to school unless you feel they are too unwell to be here; in which case they should stay at home and rest until they are well enough to return.

### Important Notice

Important Notice! Any clubs or organisations who we advertise through our Newsletter and are not affiliated with Grampound with Creed School are reminded that they must have the necessary insurance, qualifications and DBS checks in place. This is to ensure the welfare of the children and is not the responsibility of Grampound with Creed School.



If you are in need of some uniform we have a range of pre-loved items available for a donation. Please contact Mrs. Warren on 07712262471 to discuss any items you need.



Please ensure that the school is informed before 2.45pm if anyone other than parents are collecting your child/ren.

If you have a number of people who pick up, please contact the office to ensure that we know who they are and that they have permission on that day.

## Autumn Term After School Clubs

Mondays - Mrs Grubb - Maths (Y5&6)


Mondays - Miss Evens - Singing Club

Tuesdays - Mrs. Martin - Creative Writing

- Thursdays - Mrs Hayes - Wild Tribe

Thursdays - Mr Keyes - SATs Club (Y6)

Fridays - Mr Webb - Sports Club (Rec/1/2/3)



22nd, 23rd and 24th July 2024



EASTER 2024

 Activities including multi sports, forest schools, circus skills, water sports and lots more – for children aged 5 to 16

- Every session includes a healthy meal for all children
- Funded places for ALL children eligible for benefits related free school meals

Activities are taking place across Cornwall during the Easter holidays, from April 2nd - 12th

Scan here to book!





www.activecornwall.org/T2MHolidayProgramme/ Time2Move.HolidayProgramme@cornwall.gov.uk 01872 324287









# HOLIDAY

MID/WEST CORNWALL APRIL 2024 | 9.30AM-3.30PM BOYS & GIRLS ALL ABILITIES AGED 5-15



(Football Roadshow unless stated)

#### TUESDAY 2ND

**Helston AFC** St Day FC

#### WEDNESDAY 3RD

Carn Brea Leisure Centre

# THURSDAY 4TH Penrice School

#### FRIDAY 5TH

Falmouth Sports Hub

#### MONDAY 8TH

**Brannel School** 

#### TUESDAY 9TH

Tretherras School

#### WEDNESDAY 10TH

Carn Brea Leisure Centre

#### THURSDAY 11TH

Truro High School (Girls Only Roadshow)

#### FRIDAY 12TH

**Penair School** Falmouth Sports Hub





Book now 01752 522202 www.officialsoccerschools.co.uk/argyle/courses.html

www.argylecommunitytrust.co.uk

## Family Worker Drop In

#### **Grampound with Creed School**

#### These sessions will be run by Julie Wakelin from the Early Help Team.

Do you need some support and advice to understand your child's needs and behaviours?

Advice on positive parenting and how to keep your child safe?

Support with budgeting and debt advice?

To understand the importance of routines for your family?

We are running drop-in sessions with no appointment <u>necessary</u>

2:15-3:00 Monday April 22nd.

Then continuing termly

Please sign <u>in</u> at the school Reception and you will be shown through to the meeting room.

#### For more information please contact:

Email: carrickfamilyhubs@comwall.gov.uk

Call: 01872 324256











# **ChatHealth Parent Line 5-19**

School Nursing messaging service for parents and carers of children and young people 5-19 years in Cornwall and Isles of Scilly

TEXT 07312 263 499









www.cornwall.gov.uk/chathealth

#### **Guidance on infection prevention and control** in schools and childcare settings#

Updated: November 2022

Remember you can help prevent the spread of infections by checking children have had their routine immunisations, maintaining a clean environment, and ensuring good personal hygiene (among staff and children), especially ensuring regular hand washing.

UK Health Security Agency (UKHSA) Health Protection Team For outbreaks or advice please contact the UKHSA South West Centre HPT on 0300 3038162 or email SWHPT@UKHSA.GOV.UK

Rashes and skin infections	Recommended period to be kept away from school	Comments		
Chickenpox and shingles	or childcare setting Five days from orset of rash and untital lesions have	Advise pregnant women to contact their GP If exposed and unsure if they have previously been		
Cold Sores (Herpes Simplex)	crusted over	Infected  Cold sores remain contagious until they are completely healed. They are generally mild and heal without treatment (7-10 days) - Avoid kissing and close skin to skin contact of the sore - Don't share kems that come into contact with the affected areas (cutlery / lp balm)		
Hand, Foot and Mouth	None	Contact your UKHSA HPT if many children are affected. Exclusion maybe considered in some chounstances		
Impetigo	Until lesions are crusted over or 48 hours after antibiotic treatment has been started	impetigo is highly infectious, and it is spread by direct contact Antibiotic treatment speeds healing and reduces the infectious period		
Measles"	Excluded as soon as measles is suspected until five days after the onset of rash	Contact UKHSA HPT as soon as measles cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupils and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP immediately.		
Molluscum contagiosum	None	A self-limiting condition. The lesions will resolve over time without any treatment		
Parvovirus or Fifth disease	None (once rash has developed)	Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife		
(siapped cheek) Panton- Valentine Leucocidin (PVL)	None If they feel well	following exposure individuals should not take part in contact sports or use communal gym equipment until their skin lesion has totally healed. For further guidance contact UKHSA HPT		
Ringworm (Incl foot ringworm – athletes' foot)	Exclusion is not required for includuals with athlete's foot, includuals with skin and scalp ringworm can return to school once they have started treatment with anti-fungal agents.	Treatment is required		
Rubella (German Measles)*	Sk days from onset of rash	Preventable by immunisation (MMR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP		
Scables	Until after the first treatment has been completed	Household and close contacts require treatment at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT		
Scarlet Fever*	Exclude until 24 hours of appropriate antibiotic treatment complete	A person is infected for 2-3 weeks if antibiotics are not administered, in the event of 2 or more suspected cases, contact UKHSA HPT		
Warts and Verrucas	None	Verrucas should be covered in swimming pools, gymnasiums and changing rooms		
Respiratory Infections	Recommended period to be kept away from school or childcare setting	Convenents		
COMD-Ta	Until temperature has resolved and they are well enough. If tested positive, child should stay home for 3 days.	Report outbreaks in line with local policy		
Flu (Influenza)	Until recovered	Report outbreakto yourlocal UKHSA HPT		
Tuberculosis*	When diagnosed with TB a treatment team will assess whether other people are at risk of infection and require screening.	Requires prolonged close contact for spread. Only pulmonary TB is infectious to others. Always consult your local UKHSA HPT before disseminating information to staff/carers		
Whooping Cough*	Until they have had 48 hours of appropriate antibiotic treatment and feel well enough to return.	Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks.		



Nanaging spedific infectious diseases: Ato Z

bit Jw/diseasesAtoZ

Infectious Diarrhoea and

bit.ly/ExclusionTable



resource centre

bit.Jw/PHEResources



and Poster Centre

bitly OutbreakActionCards

Code Service  An incomplete content of the service	and stringles	crusted over	Infected	Vomiting		
And a contract your Utilities are related as you are runted over the contract your Utilities are related. Excitation as you contract your Utilities are related as you are runted over the contract your utilities are related. See the related as you are runted over the related as you are runted over the runted of your related as you are runted over the runted of your	Cold Sores (Herpes Simplex)	None	completely healed. They are generally finited and heat without treatment (7-10 days) - Avoid kissing and close skin to skin contact of the sore - Don't share items that come into contact with the	(Gastroenteritis) Bacteria Campylobacter Salmonella Shigelia (bacillary	infectious and must be kept away from school until the diamhoea and vomiting has stopped for at	and vomiting (gastroenteritis) can be easily passed to others. Good hyglene, in particular handwashing and
uppedigo  Uxit kladona ser cruzado over de hours afre ambibled de trechorate de marbied de trechorate	Hand, Foot and Mouth	None	Contact your UKHSA HPT If many children are affected. Exclusion may be considered in some	E.coll 0157	They must have been passing normal stools for at least 48	Exclusion from swimming is advisable for two
Addisparents on the control of the c	mpetigo	or 48 hours after antibiotic	direct contact Antibiotic treatment speeds healing	Small round	Some Gastro Infections	If an outbreak occurs, consult UKHSA HPT A diamhoea and vomiting checklist for
overtime without any treatment previous of the pregnant contacts and subtract and subtrac	Measles"	Excluded as soon as measles is suspected until five days	Contact UKHSA HPT as soon as measles cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupils and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP	Winter Vomiting Disease) Parasites Cryptosporidium	microbiology clearance and	protection in schools guidance (QR code
Adversaries of contacts can be adveled to contacts can be adveled to contact on the developed of well people diveled to contact can be adveled to contact on the developed of well believe the developed of well people diveled to contact contact units and in their class part in contact sports are contact units and in their class part in contact sports or use communit gare augment unit their class value of their contact units and in their class part in contact sports or use community gare augment unit their class value of their contact units and their class part in contact sports or use community gare augment unit their class value of their contact units and their class and their cla	Molluscum contagiosum	None				Comments
Answers and conjunctivities of wild become and the part in contact sports or use community of rushing adjunctivities and the part in contact sports or use community or use conflictions or wild become or wil	Parvovirus or Fifth disease		contacts can be advised to consult GP or midwife			
Exclusion is not required for includidus with atthete's not including agent's authorized with a not included and including and scale pringwom can return to school-note they have started treatment with anti-fungal agent's authorized with the same time. In the event of 2 or more suspected cases, contact VIKHSA HPT with with addission or back prompts after the first treatment at the same time. In the event of 2 or more suspected cases, contact VIKHSA HPT with with addission or any action needed prompts and attended and the same for 2 or more suspected cases, contact VIKHSA HPT with with addission or any action needed in a suspected cases, contact VIKHSA HPT with a most of jumitice (or seven days after graph or being in close contact with a carrier the adult is a most of particle in the sevent of 2 or more suspected cases, contact VIKHSA HPT with with a same time. In the event of 2 or more suspected cases, contact VIKHSA HPT with with a same time. In the event of 2 or more suspected cases, contact VIKHSA HPT with with a same time. In the event of 2 or more suspected cases, contact VIKHSA HPT with with a same time. In the event of 2 or more suspected cases, contact VIKHSA HPT with with a same time. In the event of 2 or more suspected cases, contact vikes and the same of 2 or more suspected cases, contact vikes and the same of 2 or more suspected cases, contact vikes and the same of 3 or more suspected cases, contact vikes and vikes or any action or machinistation or machinistation or machinistation or machinistation or machinistation or machinis	stapped cheek) Panton- /alentine		Individuals should not take part in contact sports or use communal gym equipment until their skin			conjunctivitis. If an outbreak/cluster occurs, consult your UKHSA HPT
Treatment by saling worm or network of color dringworm activates foot)  Treatment by have started treatment with and I-magal agents  Treatment by have started treatment with and I-magal agents  Treatment by have started treatment with and I-magal agents  Treatment by have started treatment with and I-magal agents  Treatment by new started treatment with and I-magal agents  Treatment by have started treatment with an I-magal agents  Treatment by new started treatment with an I-magal agents  Treatment by new started treatment with an I-magal agents  Treatment by new started treatment with an I-magal agents  Treatment by new started only in cases  White 3 document above. Advise pregnant start or contact to see by the SA document above. Advise pregnant start or contact to see by the SA document above. Advise pregnant start or contact to see by the SA document above. Advise pregnant start or contact to the SA see the SA seed of	Leucocidin (PVL)		contact UKHSA HPT	Diphtheria*		must be excluded until cleared to return by your UKHSA HPT. UKHSA HPT will organise
traimment with anti-fungal agarits  Rubella Saman Masskel* Ske days from enset of rash  Preventable by immunisation (MMR x2 dosss). See UKHSA document above. Advise pregnant staff contacts to respect promptandition from their OP household and close contacts require treatment as the same time. In the event of 2 or more suspected cases, contact UKHSA MPT Household and close contacts require treatment as the same time. In the event of 2 or more suspected dass, contact UKHSA MPT Household and close contacts require treatment as the same time. In the event of 2 or more suspected asses, contact UKHSA MPT Household and close contacts require treatment as the same time. In the event of 2 or more suspected asses, contact UKHSA MPT Household and close contacts from their OP A person is infected for 23 weeks. I antibiotic are not administered. In the event of 2 or more suspected asses, contact UKHSA MPT Household and close contacts from their OP A person is infected for 23 weeks. I antibiotic are not administered in the event of 2 or more suspected asses, contact UKHSA MPT Household and close contacts from their OP A person is infected for 23 weeks. I antibiotic are not administered in the event of 2 or more suspected asses, contact UKHSA MPT Household and close contacts of the case household and they are well enough as the part of the close contacts of the case household and they are well enough as the part of the close contacts of the case household and they are well and they are well enough as the part of the close contacts of the case household and they are well enough as the part of the close contacts of the case household and they are well enough as the part of the close contacts of the case household and they are well enough as the part of the close contacts of the case household and they are well enough as the part of the close and they are well enough as the part of the close contacts of the case household and they are well enough as the part of the close contacts of the case household and they are well enough as	Ringworm (nci foot ringworm	foot. Individuals with skin and scalp ringworm can return to	Treatment is required	Glandular Fever	None	Spread is by saliva, usually through kissing or being in close contact with a carrier
Sk days from enset of rash   Preventable by Immurisation (MHR x2 dosss). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP   Hopatitis A**   Sk days from enset of rash   Contacts to seek prompt advice from their GP   Hopatitis A**   Sk days from enset of rash   Hopatitis A**   Hopatitis A	-activoes root;	treatment with anti-fungal		Head Lice	None	where live lice have been seen
Scarlet Fever   Security   Secu	Rubella (Serman Measles)*	Six days from onset of rash	UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP	Hopatitis A*	onset of jaundice (or seven days after symptom onset if no	Hepatitis Amay occasionally require exclusion from school. Contact local UKHSA HPT who will advise on any action
Varius and   Varius should be covered in swimming pools, gymnashus and changing rooms   Varius should be covered in swimming pools, gymnashus and changing rooms   Varius should be covered in swimming pools, gymnashus and changing rooms   Varius should be swipt away from school   Comments   Comments   Varius should stay show shool   Varius should stay show shool   Varius should stay show shool   Comments   Varius should stay show shool   Varius shool	Scables	has been completed Exclude until 24 hours of	at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT A person is infected for 2-3 weeks l'antibiotics		None if they are well enough	Hepatitis B and C and HIV are blood borne viruses that are not infectious through casual contact. See UKHSA guidance
Respiratory infections  Respir			suspected cases, contact UKHSA HPT	Maningneneral		
Respiratory infections  Respiratory be kept away from school or childcare setting  Until temperature has resolved and they are well enough. If tested positive, child should stay home for 3 days.  Report outbreaks in line with local policy eliu (influenza)  Until recovered  Report outbreaks in line with local policy eliu (influenza)  Until recovered  Report outbreaks in line with local policy eliu (influenza)  Until recovered  Moningitis viral*  There is no reason to exclude any siblings or other dose contacts or the case from school  Until recovered  Until recovered  Until recovered  Until recovered  Until recovered  When diagnosed with TB a treatment teamwill assess whether other people are at risk or infectionand require screening  Until they have had 48 hours of appropriate antiblotic recovered disseminating information to staff/carers  Whooping cough*  Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks.  Value of appropriate antiblotic of the child and household contacts or treatment and feel well enough.  Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks.  Value of the case from school  Until recovered  Until recov	/errucas	None		Meningitis"/	other close contacts of the case	vaccination. Contact local UKHSA HPT who
resolved and they are well enough. If tested positive, child should stay home for 3 days.  Flu (Influenza) Until recovered Report outbreakto your local UNHSA HPT  When diagnosed with TB a treatment transmit lasses whether other people are at risk of infection and require screening  Whooping Cough*  Pertussis) OR after 21 days from onset of the case grow and people are at of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of liness if no antibiotic training information to staffly carers of lines if no antibiotic training information to staffly carers of lines if no antibiotic training information to staffly carers of lines if no antibiotic training information to staffly carers of lines if no antibiotic training information to staffly carers of lines if no antibiotic training information to staffly carers of lines if no antibiotic l	Respiratory infections	be kept away from school or childcare setting	Comments			preventable by vaccination. Contact local UKHSA HPT who will advise on any action
When diagnosed with TB a treatment tram will assess whether other people are at risk of infection and require screening.  Whooping to a proper attention and feel well enough" enough to return.  Whooping cough" enough to return.  On after 21 days from onset of surface and service of illness if no antibiotic of tracing necessary of the processary of the	COVID-19	resolved and they are well enough. If tested positive, child should stay home for	Report outbreaks in line with local policy	Moningitis viral*	There is no reason to exclude any siblings or other close contacts of	
treatment team will assess whether other people are at risk of infection and require screening.  Until they have had 48 hours of appropriate antiblotic treatment and feel well enough?  Perturning on a feel well enough?  OR after 21 days from onset of sure in constants of the child and thousehold contacts of illness if no antiblotic of treatment and feel well enough?  OR after 21 days from onset of swelling information to staff/carers including and staff on the child and household contacts of illness if no antiblotic of treatment and feel well enough to return.  OR after 21 days from onset of swelling information (IMMR x2 doses). Promote MMR to pupils and staff including hookworm, including hookworm, roundworm, tapeworm, threadworm, and whipworm]	Flu (Influenza)	Until recovered	Report outbreak to your local UKHSA HPT			
Screening unstanding minimation to stance and stance an	Fuberculosis*	treatment team will assess whether other people are at	Only pulmonary TB is infectious to others.	(paramyxovirus)*		Preventable by vaccination (MMR x2 doses).
	Whooping Cough* Pertussis	screening Unit they have had 48 hours of appropriate antiblotic treatment and feel well enough to return. OR after 21 days from onset of lithess if no antiblotic	Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks. Your UKHSA HPT will organise any contact	infestations (including hookworm, roundworm, tapeworm, threadworm, and	None	

# Pre-school, nursery, or childminder

 denotes a notifiable disease. It is a statutory requirement that doctors report a notifiable disease to the proper officer of the local authority (for some local authorities, this may be UKHSA) in addition, you may need to inform other regulating bodies, for example Office for Standards in Education (OFSTED) or Care Quality Commission (CQC). Please follow local policy.

