

Week beginning 30th October 2023

Welcome back! We hope you had a wonderful half-term and enjoyed the (mostly) dry weather.

A huge thanks to the parents and carer who attended their parent consultations on Wednesday and Thursday this week. We hope you found the opportunity to meet with your child's class teacher valuable. Of course, if you have any further questions or queries about your child and their learning, please do not hesitate to contact the school office and book an appointment.

We are really pleased to share that we have now achieved our Wild Tribe accreditation award! Mrs. Hayes, our Outdoor Learning



Lead completed her assessment earlier this term and the positive feedback we received, included the 'exceptional behaviour demonstrated by the children' and the "persistence, resilience and positive relationships of staff and pupils".



Don't forget, next week we have individual school photos on Wednesday morning next week.

On Friday 17th November, we will be celebrating Children in Need. The theme for the day is SPOTacular, so children are invited to come to school in their spotty clothes and bright colours. On this day, we will be raising money for Children in Need and politely asking for donations of £1, which can be paid via Parent Pay.

Have a great weekend.

Miss Jane

Diary Dates



November

8th November - Tempest in for individual and family photos.

17th November-Children in Need-Children to wear spots and bright colours

24th November-INSET DAY (SCHOOL CLOSED)

December

6th December - Christmas

Dinner Day

8th December - Christmas Jumper

Day

14th December Nativity

Performance


15th December - Trip to the cinema

January

4th January-First day of Spring

term

4th January-Topic Day





This week's Awards



Pedrevan

Iris for a positive attitude to learning


Freya R for great enthusiasm during DT

Day

<u>Kwilkyn</u>

Max Schroder for fantastic story boarding!





The cost for School Dinners is £2.41 which you order via Parentpay. If you are having problems, please contact the office.

Breakfast Club - 7:45am to 8:30am (£3.50)

After School Club - 3pm to 6pm (£3.00, £4.00 & £6.50) Please book your child either on Parentpay or contact

the school office for half






Uniform can be purchased from Cornwall Screenprint who can be contacted on 01726 68689 or email infor@cornwallscreenprint.co.uk

School Office - 01726 882644

Email

gwc-secretary@rainbowacademy.org.uk

https://grampound-creed.eschools.co.uk/web/home



Sickness and Absences

Please be reminded that all absences must be reported by ringing the school office on 01726 882644. If your child has a cough or a cold they should still come to school unless you feel they are too unwell to be here; in which case they should stay at home and rest until they are well enough to return.

Important Notice

Important Notice! Any clubs or organisations who we advertise through our Newsletter and are not affiliated with Grampound with Creed School are reminded that they must have the necessary insurance, qualifications and DBS checks in place. This is to ensure the welfare of the children and is not the responsibility of Grampound with Creed School.



If you are in need of some uniform we have a range of preloved items available for a donation. Please contact Mrs Warren on 07712262471 to discuss any items you need.



Please ensure that the school is informed before 2.45pm if anyone other than parents are collecting your child/ren.

If you have a number of people who pick up, please contact the office to ensure that we know who they are and that they have permission on that day.

Autumn Term After School Clubs

Mondays - Mrs Grubb - Netball

Tuesdays - Mrs Martin - Sewing Club

- Thursdays - Mrs Hayes - Wild Tribe

Thursdays - Mr Keyes - Computing and Coding Club (Kwilkyn Class)

Fridays - Mr Webb - Sports Club (Lostledan Class)



24th November 2023 22nd, 23rd and 24th July 2024





Visit www.cornwall.gov.uk/admissions

www.cornwall.gov.uk/admissions



Christmas Food Bank Appeal: Grampound with Creed Coft School

Over the past three years, Grampound with Creed CofE School have worked successfully alongside the community to donate over 75 Christmas Boxes to families around Cornwall

Whilst we are saddened to hear that the Cornwall Christmas Box Appeal will not be running this year, we are still very passionate about making a difference and would like to organise a Food Bank collection on behalf of Grampound and our school

We are asking for your support in making a food donation. All items will be collected by the school and delivered to Newquay Food Bank in time for Christmas, which we hope will offer support to those in need. If you would like to help, please ensure you follow the guidelines below:

- All donated items must have a use-by date which lasts beyond Christmas this year.
 Such dates are usually found on packets or tinned foods.
- Newquay Food Bank regularly update their website with a list of 'most needed items'.
 Please access the following link to check which foods would make a useful donation: https://newquayfoodbank.org.uk/give-help/donate-food/
 - Please drop your food donations to Mrs Grubb or Emma in the office at Grampound with Creed CofE School by Tuesday 5th December.

With thanks for your support,

Grampound with Creed CofE School Staff and Pupils



Early Notice of Crib Service at St Nuns Children wanted to take part in Nativity

On Christmas Eve at 5.30 St Nuns Church holds a crib service, but they need children who would like to take part, as each year it gets more and more difficult to find children to act the Nativity.

If your child would like to be a part of this special service please contact Paula or Ann as soon as you can to let them know so they can see how many children are available and sort out rehearsals etc.

Paula Brunsden Tel 07713556859 or 01726 883476 Or Ann Jones Tel 07595078861 or 01726 882815

<u> School Dinners — Tuesday 7th November 2023</u>

If you require a dinner for your child/ren on Tuesday please could you order by 9 am on Monday 6th November as I am not in on Tuesday and will need to order the dinners in advance.

Thank you

Guidance on infection prevention and control in schools and childcare settings#

Updated: November 2022

Remember you can help prevent the spread of infections by checking children have had their routine immunisations, maintaining a clean environment, and ensuring good personal hygiene (among staff and children), especially ensuring regular hand washing.

UK Health Security Agency (UKHSA) Health Protection Team For outbreaks or advice please contact the UKHSA South West Centre HPT on 0300 3038162 or email SWHPT@UKHSA.GOV.UK

| Rashes and skin infections | Recommended period to be kept away from school | Comments | | |
|--|--|---|--|--|
| Chickenpox and shingles | or childcare setting Five days from onset of rash and until all lesions have crusted over | Advise pregnant women to contact their GP If exposed and unsure if they have previously been infected. | | |
| Cold Sores (Herpes Simplex) | None | Cold sores remain contagious until they are completely healed. They are generally mild and heal without treatment (7-10 days) - Avoid kissing and close skin to skin contact of the sore - Don't share kerns that come into contact with the affected areas (cutiery / lip balm) | | |
| Hand, Foot and Mouth | None | Contact your UKHSA HPT If many children are affected. Exclusion maybe considered in some circumstances | | |
| Impetigo | Until lesions are crusted over or 48 hours after antibiotic treatment has been started | Impetigo is highly infectious, and it is spread by direct contact. Arkiblotic treatment speeds healing and reduces the infectious period. | | |
| Measles" | Excluded as soon as measles is suspected until five days after the onset of rash | Contact UKHSA HPT as soon as measies cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupils and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP immediately. | | |
| Molluscum contagiosum | None | A self-limiting condition. The lesions will resolve over time without any treatment | | |
| Parvovirus or Fifth disease (slapped cheek) | None (once rash has developed) | Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife following exposure | | |
| Panton- Valentine Leucocidin (PVL) | None If they feel well | Individuals should not take part in contact sports or use communal gym equipment until their skin lesion has totally healed. For further guldance contact UKMSA HPT | | |
| Ringworm (Incl foot ringworm - athletes' foot) | Exclusion is not required for includuals with athlete's foot. Includuals with skin and scalp ringworm can return to school once they have started treatment with anti-fungal agents. | Treatmentisrequired | | |
| Rubella (German Measles)* | Six days from onset of rash | Preventable by Immunisation (MMR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP | | |
| Scables | Until after the first treatment has been completed | Household and close contacts require treatment at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT | | |
| Scarlet Fever | Exclude until 24 hours of appropriate antibiotic treatment complete | A person is infected for 2-3 weeks Fantiblotics are not administered. In the event of 2 or more suspected cases, contact UKHSA HPT | | |
| Warts and Verrucas | None | Varrucas should be covered in swimming pools, gymnasiums and changing rooms | | |
| | Recommended period to | | | |
| Respiratory Infections | be kept away from school or childcare setting | Comments | | |
| COMD-Ta | Until temperature has resolved and they are well enough. If tested positive, child should stay home for 3 days. | Report outbreaks in line with local policy | | |
| Flu (Influenza) | Until recovered | Report outbreakto yourlocal UKHSA HPT | | |
| Tuberculosis | When diagnosed with TB a treatment team will assess whether other people are at risk of infection and require screening | Requires prolonged close contact for spread. Onlypulmonary TB is infectious to others. Always consult your local UKHSA HPT before disseminating information to stafficarers | | |
| Whooping Cough" (Pertussis) | Until they have had 48 hours of appropriate antiblotic treatment and feel well enough to return. OR after 21 days from onset of litness if no antiblotic treatment has been taken | Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks. Your UKHSA HPT will organise any contact tracing necessary | | |



Nanaging spedific infectious diseases: Ato Z

bit Jy/diseasesAtoZ

Infectious Diarrhoea and Vomiting

bit.ly/ExclusionTable

resource centre bit.Jy/PHEResources



and Poster Centre

bitly/ OutbreakActionCards

| e crusted over rrantiblotic seen started on as measles til five days of rash | Cold sores remain contaglous until they are completely healed. They are generally mild and heal without treatment (7-10 days). Avoid kissing and close skin to skin contact of the sore - Don't share kems that come into contact with the affected areas (cutleny / lip balm). Contact your UKHSA HPT if many children are affected. Exclusion maybe considered in some chromstances impetigo is highly infectious, and it is spread by direct contact Artibiotic treatment speeds healing and reduces the infectious period. Contact UKHSA HPT as soon as measles cases are notified to the school. Preventable by immunisation (MMR x2doses). Preventable by immunisation (MMR x2doses). Promote MMR for all pupils and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP. | (Gastroenteritis) Bacteria Campylobacter Salmonella Shigella (bacillary dysentery) E.coli 0157 Viruses Rotavirus Small round structured viruses (e.g. Horovirus or Winter Vomiting Disease) Parasites Cryptosporidium Gardia | Should be regarded as very infactious and must be kept away from school until the dammoea and vemitting has stopped for at least 48 hours. They must have been passing normal stools for at least 48 hours. Some Gastro infections (Like E.coli 0157) require microbiology clearance and UKHSA will advise on these | An infection in the gut causing diarrhoea and verniting (gastroenteritis) can be easily passed to others. Good hygiene, in particular handwashing and environmental cleaning, are important to minimize any danger of spread. Exclusion from swimming is advisable for two weeks after the diarrhoea has settled. If an outbreak occurs, consult UKHSA HPT Adiarrhoea and verniting checklist for schools can be found in the UKHSA health protection in schools guidance (QR code above). |
|---|---|--|---|--|
| | immediately A self-limiting condition. The lesions will resolve over time without any treatment | Other | Recommended period to be | Comments |
| h has | Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife | infections | kept away from school or childcare setting | Advise parents to seek advice immediately if |
| ilwell | following exposure individuals should not take part in contact sports or use communal gym equipment until their skin | Conjunctivitis (bacterial or viral) | Exclusion is not required unless they are particularly unwell | there is a possibility their baby has infective conjunct witis. If an outbreak/cluster occurs, consult your UKHSA HPT |
| required for | ksion has totally healed. For further guidance contact UKHSA HPT | Diphtheria* | Exclusion is essential. Always consult with your UKHSA HPT | Preventable byvaccination. Family contacts must be excluded until cleared to return by your UKHSA HPT. UKHSA HPT will organise any contact tracing necessary |
| s with skin and | Treatmentis required | Glandular Fever | None | Spread is by salive, usually through kissing or being in close contact with a carrier |
| | | Head Lice | None | Treatment is recommended only in cases where live lice have been seen |
| nset of rash | Preventable by Immunisation (MMR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP Household and close contacts require treatment | Hepatitis A* | Exclude until seven days after onset of jaundice (or seven days after symptom onset if no jaundice) | Household contacts of Individuals with Hepatitis Amay occasionally require acclusion from school. Contact local UKHSA HPT who will advise on any action needed |
| Irsttreatment leted hours of bloods | at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT A person is infected for 2.3 weeks if antiblotics are not administered. In the event of 2 or more | Hepatitis B*, C*, HIV/AIDS | None if they are well enough | Hepatitis B and C and HIV are blood borne viruses that are not infectious through casual contact. See UKHSA guidance |
| plete | suspected cases, contact UKHSA HPT Verrucas should be covered in swimming pools, | Meningococcal Meningitis*/ | Until recovered. There is no reason to exclude any siblings or other close contacts of the case from school | document above Noningits ACWY and B are preventable by vaccination. Contact local UKHSA HPT who will advise on any action needed |
| d according to | gymnasiums and changing rooms | Septicaemia* | | |
| id period to from school etting ire has | Comments | Moningitis* due to other bacteria | Until recovered | Hib and Pneumococcal Meningitis are preventable by vaccination. Contact local UKHSA HPT who will advise on any action needed |
| eyare well id positive, iy home for | Report outbreaks in line with local policy | Moningitis viral* | Until recovered There is no reason to exclude any siblings or other dose contacts of the case from school | Nilder liness than bacterial meningitis. |
| d | Report outbreakto yourlocal UKHSA HPT | Mumps | Exclude child for five days after | It is very contagious and spread in salive, the same way as a cold or flu. |
| d with TB a will assess people are at | Requires prolonged close contact for spread. Only pulmonary TB is infectious to others. Always consult your local UKHSA HPT before | (paramyxovirus)* | onset of swelling | Preventable by vaccination (MMR x2 doses). Promote MMR to pupils and staff |
| and require had 48 hours mitblotic feet well n. s from onset ntiblotic peen taken | disseminating information to staff(carers Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks. Your UKHSA HPT will organise any contact tracing necessary | Worm Infestations (Induding hookworm, roundworm, tapeworm, threadworm, and whipworm) | None | Treatment is recommended for the child and household contacts Hovenier 2022 (1922) |

Pre-school, nursery, or childminder

treatment has be

denotes a notifiable disease. It is a statutory requirement that doctors report a notifiable disease to the proper officer of the local authority (for some local authorities, this may be UKHSA) in addition, you may need to inform other regulating bodies, for example Office for Standards in Education (OFSTED) or Care Quality Commission (CQC). Please follow local policy.

