

Week beginning 8th January 2024

Lostledan class have been hooked in their sequence of learning. "Contrast and Complement" They've revisited the features of the colour wheel, explored mixing colour and as true artists would, used their sketch books to practise applying their knowledge and create final pieces. It'll soon be time to redraft their final masterpieces!

This week in RE, Pedrevan were exploring the question "What is a church?". To help them answer this question, they visited St Nun's Church and talked about how a church is a house of God, reflecting upon some of the reasons Christians might visit a church. Mrs Hayes was impressed with how the children could spot the symbols and precious objects that symbolise the beliefs of a Christian.



As it is the start of the term, we would like to share a polite reminder about our school uniform expectations.

- -Burgundy sweatshirts or cardigans (with logo)
- -White polo shirt
- -Grey trousers or shorts for boys and girls
- -Grey skirt or pinafores for girls
- -Girls may wear yellow and white checked summer dresses
- -Closed toe, black shoes

Please can we remind parents and carers that we do not allow children to wear jewellery or earrings (with the exception of stud earrings) We also ask that children wear plain black shoes (no trainers)



Did you know the deadline for school applications is 15th January? If you know anyone with a young child starting school next September, they need to apply for a school place online through the Cornwall Council website.

We know that starting school is a huge milestone and an important decision to make. Please do not hesitate to contact us to call and arrange a visit to our wonderful school before you submit your final application.

Have a great weekend.

Miss Jane




January

Wednesday 17th-Open the Book Wednesday 24th-Year 6 SATS meeting for parents

February

Thursday 1st-Cross Country at the Roseland Tuesday 6th-Reception Children visit to Newquay Zoo Wednesday 21st-Open the Book





This week's Awards



Ben for shining his light by challenging himself in his independent learning

> Rosie for meticulous detail in her artwork when uplevelling her final draft

Rhys for fantastic effort across all his Ben for amazing effort during STATS Club Lexi W for brilliant effort with our work






The cost for School Dinners is £2.41 which you order via Parentpay. If you are having problems, please contact the office.

Breakfast Club - 7:45am to 8:30am (£3.50)

After School Club - 3pm to 6pm (£3.00, £4.00 & £6.50) Please book your child either on Parentpay or contact

the school office for half






Uniform can be purchased from Cornwall Screenprint who can be contacted on 01726 68689 or email infor@cornwallscreenprint.co.uk

School Office - 01726 882644

Email

gwc-secretary@rainbowacademy.org.uk

https://grampound-creed.eschools.co.uk/web/home



Sickness and Absences

Please be reminded that all absences must be reported by ringing the school office on 01726 882644. If your child has a cough or a cold they should still come to school unless you feel they are too unwell to be here; in which case they should stay at home and rest until they are well enough to return.

Important Notice

Important Notice! Any clubs or organisations who we advertise through our Newsletter and are not affiliated with Grampound with Creed School are reminded that they must have the necessary insurance, qualifications and DBS checks in place. This is to ensure the welfare of the children and is not the responsibility of Grampound with Creed School.



If you are in need of some uniform we have a range of preloved items available for a donation. Please contact Mrs Warren on 07712262471 to discuss any items you need.



Please ensure that the school is informed before 2.45pm if anyone other than parents are collecting your child/ren.

If you have a number of people who pick up, please contact the office to ensure that we know who they are and that they have permission on that day.

Autumn Term After School Clubs

Mondays - Mrs Grubb - Maths (Y5&6)

Mondays - Miss Evens - Singing Club

Tuesdays - Mrs. Martin - Creative Writing

- Thursdays - Mrs Hayes - Wild Tribe

Thursdays - Mr Keyes - SATs Club (Y6)

Fridays - Mr Webb - Sports Club (Rec/1/2/3)



22nd, 23rd and 24th July 2024

New Play Equipment obtained with funding from the Garlenick Wind Turbine Funding applied for by the PFA

The introduction of the new playground equipment has transformed the quality and sustained play of the children of all ages. The open-ended element of the equipment has widened the playtime possibilities for our pupils and we've noticed a positive impact on behaviour and engagement. The resources have allowed improved communication and interaction between the eldest and younger pupils as well as developing problem solving, critical thinking skills and teamwork despite our limited playground space.

The School Council took pride in gathering the feedback of their peers and some of their comments included 'It keeps us active and helps us to be more energetic."

"The new den building equipment is fun!"

We would like to take this opportunity to thank Grantscape for making this possible for our pupils.





Thank you to all the parents who ordered Christmas items from Xmas4schools. As you can see the PFA raised £41 from the orders.

Guidance on infection prevention and control in schools and childcare settings#

Updated: November 2022

Remember you can help prevent the spread of infections by checking children have had their routine immunisations, maintaining a clean environment, and ensuring good personal hygiene (among staff and children), especially ensuring regular hand washing.

UK Health Security Agency (UKHSA) Health Protection Team For outbreaks or advice please contact the UKHSA South West Centre HPT on 0300 3038162 or email SWHPT@UKHSA.GOV.UK

Rashes and skin infections	Recommended period to be kept away from school or childcare setting	Comments		
Chickenpox and shingles	Five days from onset of rash and until all lesions have crusted over	Advise pregnant women to contact their GP if exposed and unsure if they have previously been infected		
Cold Sores (Herpes Simplex)	None	Cold sores remain contagious until they are completely healed. They are generally mild and heal without treatment (7-10 days) - Avoid kissing and close skin to skin contact of the sore - Don't share items that come into contact with the affected areas (cutiery / lip balm)		
Hand, Foot and Mouth	None	Contact your UKHSA HPT If many children are affected. Exclusion may be considered in some circumstances		
Impetigo	Until lesions are crusted over or 48 hours after antibiotic treatment has been started	Impetigo is highly infectious, and it is spread by direct contact. Artiblotic treatment speeds healing and reduces the infectious period.		
Measles"	Excluded as soon as measles is suspected until five days after the onset of rash	Contact UKHSA HPT as soon as measies cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupils and staff Advise staff contacts who are pregnant, unimmunised or have we akened immune systems to contact their GP immediately.		
Molluscum contagiosum	None	A self-limiting condition. The lesions will resolve over time without any treatment		
Parvovirus or Fifth disease (slapped cheek)	None (once rash has developed)	Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife following exposure		
Panton- Valentine Leucocidin (PVL)	None If they feel well	individuals should not take part in contact sports or use communal gym equipment until their skin lesion has totally healed. For further guidance contact UKHSA HPT		
Ringworm (Incl foot ringworm - athletes' foot)	Exclusion is not required for includuals with athlore's foot, includuals with sidn and scalp ringworm can return to school once they have started treatment with anti-fungal agents.	Treatment/srequired		
Rubella (German Measles)*	Six days from onset of rash	Preventable by Immunisation (MMR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP		
Scables	Until after the first treatment has been completed	Household and close contacts require treatment at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT		
Scarlet Fever	Exclude until 24 hours of appropriate antiblotic treatment complete	A person is infected for 2-3 weeks if antibiotics are not administered. In the event of 2 or more suspected cases, contact UKHSA HPT		
Warts and Verrucas	None	Verrucas should be covered in swimming pools, gymnasiums and changing rooms		
Respiratory Infections	Recommended period to be kept away from school or childcare setting	Comments		
COAID-19	Until temperature has resolved and they are well enough. If tested positive, child should stay home for 3 days.	Report outbreaks in line with local policy		
Flu (Influenza)	Until recovered	Report outbreakto yourlocal UKHSA HPT		
Tuberculosis*	When diagnosed with TB a treatment team will assess whether other people are at risk of infection and require screening	Requires prolonged close contact for spread. Only pulmonary TB is infectious to others. Always consult your local UKHSA HPT before disseminating information to staff/carers		
Whooping Cough"	Until they have had 48 hours of appropriate antibiotic treatment and feel well enough to return. OR after 21 days from onset	Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks.		



Nanaging spedific infectious diseases: Ato Z

bit Jw/diseasesAtoZ bit.lw/ExclusionTable



resource centre

bit.Jw/PHEResources



and Poster Centre

bit Jy/ OutbreakActionCards

Chickenpox and shingles	Five days from onset of rash and until all lesions have crusted over	Advise pregnant women to contact their GP if exposed and unsure if they have previously been infected	Infectious Diarrhoea and Vomiting (Sastroenteritis) Bacteria Campylobacter Salmonella Shigella (bacillary	Should be regarded as very infectious and must be kept away from school until the damhoes and vomiting has stopped for at	An infection in the gut causing diarrhoea and veniting (gastreenteritis) can be easily passed to others. Good hygiene, in particular handwashing and environmental cleaning, are important to
Cold Sores (Herpes Simplex)	None	Cold sores remain contaglous until they are completely healed. They are generally mild and heal without treatment (7-10 days) - Avoid kissing and close skin to skin contact of the sore - Don't share items that come into contact with the affected areas (cutlery / lip balm)			
Hand, Foot and Mouth	None	Contact your UKHSA HPT if many children are affected. Exclusion may be considered in some circumstances	dysentery) E.coli 0157 Viruses	least 48 hours They must have been passing normal stools for at least 48	minimise any danger of spread. Exclusion from swimming is advisable for two weeks after the diarrhoea has settled.
Impetigo	Until lesions are crusted over or 48 hours after antiblotic treatment has been started	Impetigo is highly infectious, and it is spread by direct contact. Antibiotic treatment speeds healing and reduces the infectious period	Rotavirus Smail round structured viruses (e.g. Horovirus or Winter Vomiting Disease) Parasites Cryptosporidium Glardia	hours Some Gastro Infections (Like E.coll 0157) require microbiology clearance and UKHSA will advise on these	If an outbreak occurs, consult UKHSA HPT Adiamhoea and vomiting checklist for schools can be found in the UKHSA health protection in schools guidance (QR code above).
Measles"	Excluded as soon as measles is suspected until five days after the onset of rash	Contact UKHSA HPT as soon as measies cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupits and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP immediately.			
Molluscum contagiosum	None	A self-limiting condition. The lesions will resolve over time without any treatment	Other Infections	Recommended period to be kept away from school or	Comments
Parvovirus or Fifth disease (slapped cheek)	None (once rash has developed)	Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife following exposure	Conjunctivitis	childcare setting Exclusion is not required unless	Advise parents to seek advice immediately if there is a possibility their baby has infective
Panton- Valentine Leucocidin (PVL)	None if they feel well.	Individuals should not take part in contact sports or use communal gym equipment until their skin lasion has totally healed. For further guidance	(bacterial or viral)	they are particularly unwell	conjunctivitis. If an outbreak/cluster occurs, consult your UKHSA HPT Preventable byvaccination. Family contacts
	Exclusion is not required for inclividuals with athlete's	contact UKHSA HPT	Diphtheria*	Exclusion is essential. Always consult with your UKHSA HPT	must be excluded until cleared to return by your UKHSA HPT. UKHSA HPT will organise any contact tracing necessary
(incl foot ringworm - athletes' foot)	foot. Individuals with skin and scalp ringworm can return to school once they have started	Treatmentisrequired	Glandular Fever	None	Spread is by saliva, usually through kissing or being in close contact with a carrier
- 1000	treatment with anti-fungal agents		Head Lice	None	Treatment is recommended only in cases where live lice have been seen Household contacts of individuals with
Rubella (German Measles)*	Six days from onset of rash	Preventable by immunisation (MMR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP	Hepatitis A*	Exclude until seven days after onset of jaundice (or seven days after symptom onset if no jaundice)	Hepatitis Amay occasionally require exclusion from school. Contact local UKHSA HPT who will advise on any action
Scables	Until after the first treatment has been completed	Household and close contacts require treatment at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT	Hepatitis B", C",		needed Hepatitis B and C and HIV are blood borne viruses that are not infectious through
Scarlet Fever*	Exclude until 24 hours of appropriate antiblotic treatment complete	A person is infected for 2-3 weeks if antibiotics are not administered. In the event of 2 or more suspected cases, contact UKHSA HPT	HIV/AIDS	None if they are well enough	casual contact. See UKHSA guidance document above
Warts and Verrucas	None	Verrucas should be covered in swimming pools, gymnasiums and changing rooms	Meningococcal Meningitis"/ Septicaemia"	Until recovered. There is no reason to exclude any siblings or other close contacts of the case from school	Noringitis ACWY and B are preventable by vaccination. Contact local UKHSA HPT who will advise on any action needed
Respiratory infections	Recommended period to be kept away from school or childcare setting	Comments	Moningitis" due to other bacteria	Until recovered	Hib and Pneumococcal Meningitis are preventable by vaccination. Contact local UKHSA HPT who will advise on any action
COMD-73	Until temperature has resolved and they are well enough. If tested positive, child should stay home for 3 days.	Report outbreaks in line with local policy	Meningitis viral*	Until recovered There is no reason to exclude any siblings or other dose contacts of the case from school	needed Milder liness than bacterial meningitis.
Flu (Influenza)	Until recovered When diagnosed with TB a	Report outbreakto your local UKHSA HPT	Mumps	Exclude child for five days after	It is very contagious and spread in saliva, the same way as a cold or flu.
Tuberculosis*	treatment team will assess whether other people are at risk of infection and require screening	Requires prolonged close contact for spread. Only pulmonary TB is infectious to others. Always consult your local UKHSA HPT before disseminating information to staff/carers	(paramyxovirus)* Worm Infestations	onset of swelling	Preventable by vaccination (MMR x2 doses). Promote MMR to pupils and staff
Whooping Cough" (Portussis)	Until they have had 48 hours of appropriate antiblobic treatment and feel well enough to return. OR after 21 days from onset of liness if no antiblotic treatment has been taken	Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks. Your UKHSA HPT will organise any contact tracing necessary	(Induding hookworm, roundworm, tapsworm, threadworm, and whipworm)	None	Treatment is recommended for the child and household contacts

Pre-school, nursery, or childminder

 denotes a notifiable disease. It is a statutory requirement that doctors report a notifiable disease to the proper officer of the local authority (for some local authorities, this may be UKHSA) in addition, you may need to inform other regulating bodies, for example Office for Standards in Education (OFSTED) or Care Quality Commission (CQC). Please follow local policy.

