

GRAMPOUN

What a fantastic community we have here in Grampound! Thank you so much to everyone who donated for our Christmas Food Bank Appeal. We have taken 156 items, which we know Newquay Food Bank will really appreciate, especially at this time of year.

WITH CREED

VOOT · CP

QF



Thank you once again for your support and a special thank you goes to Mrs. Grubb for kindly organising this.





A huge thank you and well done to Indigo, Eva-Rose, Charly, Evie and Charlotte who represented our school wonderfully this week in the Rainbow MAT carol concert at Truro Cathedral. Their singing was beautiful and it was certainly a true moment of the children shining their lights before others.

Unfortunately, we will be saying goodbye to Catherine at the end of this halfterm. Whilst we will be so sad to see her go, she has been offered a fantastic opportunity which brings her very mixed feelings. I know you will join me in making her final week with us as great as it can be. She has had a huge impact on every staff member and pupil she has worked with over the last 16 years here and we will be so sorry to say goodbye next Tuesday.

Next week, as we approach the final full week of term, we have our Christmas. performance on Thursday afternoon and our cinema trip on Friday morning.

Have a great weekend,







The cost for School Dinners is £2.41 which you order via Parentpay. If you are having problems, please contact the office.

Breakfast Club - 7:45am to 8:30am (£3.50)

After School Club - 3pm to 6pm (£3.00, £4.00 & £6.50) Please book your child either on Parentpay or contact Wraparound Care




Uniform can be purchased from Cornwall Screenprint who can be contacted on 01726 68689 or email infor@cornwallscreenprint.co.uk

School Office - 01726 882644

Email

gwc-secretary@rainbowacademy.org.uk

https://grampound-creed.eschools.co.uk/web/home



Sickness and Absences

the school office for half

Please be reminded that all absences must be reported by ringing the school office on 01726 882644. If your child has a cough or a cold they should still come to school unless you feel they are too unwell to be here; in which case they should stay at home and rest until they are well enough to return.

Important Notice

Important Notice! Any clubs or organisations who we advertise through our Newsletter and are not affiliated with Grampound with Creed School are reminded that they must have the necessary insurance, qualifications and DBS checks in place. This is to ensure the welfare of the children and is not the responsibility of Grampound with Creed School.



If you are in need of some uniform we have a range of preloved items available for a donation. Please contact Mrs Warren on 07712262471 to discuss any items you need.



Please ensure that the school is informed before 2.45pm if anyone other than parents are collecting your child/ren.


If you have a number of people who pick up, please contact the office to ensure that we know who they are and that they have permission on that day.

Autumn Term After School Clubs

Mondays - Mrs Grubb - Netball Tuesdays - Mrs Martin - Sewing Club - Thursdays - Mrs Hayes - Wild Tribe Thursdays - Mr Keyes - Computing and Coding Club (Kwilkyn Class) Fridays - Mr Webb - Sports Club (Lostledan Class)



22nd, 23rd and 24th July 2024





Thursday 7th December and Thursday 14th December 4pm - 6.30pm E18.00 per child

Join us for an afternoon picnic tea with Santa Bear 🐣 at our magical Christmas event.

Meet Father Christmas, get creative at the craft tables , rustle up some reindeer food for Rudolph & his friends. Have fun at the snow table, play festive games , and listen to enchanting storytelling in our woodland dome . Don't miss out, book your tickets at https://www.tickettailor.com/events /pengellygardencentre/1050648



www.wheal-martyn.com



Christmas Services

Grampound School.

Grampound with Creed Monday 4th December 18:30 Christmas tree lights and Carols

Friday 8th December 18:30 Christmas Carols St Nuns

Saturday 9th December 10:00 - 12:00 Refreshments at St Nuns with Christmas Tree display open daily.

Come and

celebrate Christmas

Sunday 17th December 17:30 Christingle at Creed. Meet at the Christmas Tree by the School in Grampound at 17:30 and walk to Creed church with lanterns. Bring torches and coats.

Sunday 24th December 17:30 Crib service St Nuns

Sunday 24th December 21:00 Midnight Mass St Nuns

Monday 25th December 11:00 Christmas Day service Creed

Find us on Facebook or contact Ruth Trinick, PCC secretary, on 01726 882245

Children Services for Christmas We need your help!!



The Crib service has been very popular at **5.30pm on Christmas Eve** in St Nun's. Families join together to



But, we need some volunteers to play essential 'roles' in the nativity. If you are willing to allow your child to take part, please phone Paula Brunsden on 07713 556859. Helpers are always very welcome.

celebrate the real reason for Christmas in a fun, child-led service.



Our other child-friendly service is **Christingle** (oranges, candles and sweets, plus favourite carols) on **Sun Dec 17**th. If the weather is good, there is a walk from the school with lanterns starting at 5.30 to Creed Church (bring torches). If weather is bad, just meet at the church at 6pm. Mulled wine for grown-ups afterwards!

On behalf of St Nun's and St Crida's churches – Grampound with Creed

Guidance on infection prevention and control in schools and childcare settings[#]

Remember you can help prevent the spread of infections by checking children have had their routine immunisations, maintaining a clean erwironment, and ensuring good personal hygiene (among staff and children), especially ensuring regular hand washing.

UK Health Security Agency (UKHSA) Health Protection Team For outbreaks or advice please contact the UKHSA South West Centre HPT on 0300 3038162 or email SWHPT@UKHSA.GOV.UK

Rashes and skin infections	Recommended period to be kept away from school or childcare setting	Comments
Chickenpox and shingles	Five days from onset of rash and until all lesions have crusted over	Advise pregnant women to contact their GP # exposed and unsure # they have previously been infected
Cold Sores (Herpes Simplex)	Nona	Cold sores remain contagious until they are completely healed. They are generally mild and heal without treatment (7-10 days) - Avoid kissing and close skin to skin contact of the sore - Don't share items that come into contact with the affected areas (sukiny / it p balm)
Hand, Foot and Mouth	None	Contact your UKHSA HPT If many children are affected. Exclusion maybe considered in some circumstances
Impetigo	Until lesions are crusted over or 48 hours after antibiotic treatment has been started	Impetigo is highly infectious, and it is spread by direct contact Antibiotic treatment speeds healing and reduces the infectious period
Measles"	Excluded as soon as measles is suspected until five days after the onset of rash	Contact UKHSA HPT as soon as measles cases are notified to the school. Preventable by immunisation (MMR x2doses). Promote MMR for all pupits and staff Advise staff contacts who are pregnant, unimmunised or have weakened immune systems to contact their GP immediately.
Molluscum contagiosum	None	A self-limiting condition. The lesions will resolve over time without any treatment
Parvovirus or Fifth disease (slapped cheek)	None (once rash has developed)	Request parents notify the school so that pregnant contacts can be advised to consult GP or midwife following exposure
Panton- Valentine Leucocidin (PVL)	None If they feel well	Individuals should not take part in contact sports or use communal gym equipment until their skin lesion has totally healed. For further guidance contact UKHSA HPT
Ringworm (Incl foot ringworm – athletes' foot)	Exclusion is not required for individuals with athlate's foot. Individuals with skin and scalp ringworm can return to schoolonce they have started treatment with anti-fungal agents.	Treatment is required
Rubella (German Measles)*	Six days from onset of rash	Preventable by Immunisation (HIAR x2 doses). See UKHSA document above. Advise pregnant staff contacts to seek prompt advice from their GP
Scables	Until after the first treatment has been completed	Household and close contacts require treatment at the same time. In the event of 2 or more suspected cases, contact UKHSA HPT
Scarlet Fever*	Exclude until 24 hours of appropriate antibiotic treatment complete	A person is infected for 2-3 weeks if antibiotics are not administered. In the event of 2 or more suspected cases, contact UKHSA HPT
Warts and Verrucas	None	Verrucas should be covered in swimming pools, gymnasiums and changing rooms
Respiratory	Recommended period to	
infections	be kept away from school	Comments
COMD-19	or childcare setting Until temperature has resolved and they are well enough. If tested positive, child should stay home for 3 days.	Report outbreaks in line with local policy
Flu (Influenza)	Until recovered	Report outbreak to your local UKHSA HPT
Tuberculosis*	When diagnosed with TB a treatment team will assess whether other people are at risk of infection and require screening	Requires prolonged close contact for spread. Onlypulmonary TB is infectious to others. Always consult your local UKHSA HPT before disseminating information to staff/carers
Whooping Cough" (Pertussis)	Until they have had 48 hours of a propriate antibiotic treatment and feel well enough to raturn. OR after 21 days from onset of liness if no antibiotic treatment has heen taken	Preventable by vaccination. Alter treatment, non-infectious coughing may continue for many weeks. Your UKHSA HPT will organise any contact tracing necessary

Managing specific infectious diseases: A to 2 Exclusion Table Campaign resource centre Outbreak Acti and Poster Managing specific infectious Discribuses Discribuses Discribuses Discribuses Discribuses Discribuses and vomiting filesss Recommended period to be kept away from school or childcare setting Comments Comments Discribuses and Vomiting (Gastroentartits) Should be regarded as very infectious and must be kept away from school until the diambea and vomiting (astroentartits) can b passed to others. An infection in the gut causing diart and vomiting (astroentartits) can b passed to others. Should be regarded as very infectious The yous have been passing nom school until the diambea and womiting is advisable test 48 hours An infection in the gut causing diart and vomiting is advisable of thers. Some Gastroiniections functs and in the UKHSA M Minter Vomiting Disease) Some Gastroiniections infections Advise parents to soek advice imments above). Other Infections Recommended period to be kept away from school or childcare setting Advise parents to soek advice imments above). Other Infections Recommended period to be kept away from school or childcare setting Advise parents to soek advice imment school can be found in the UKHSA H above). Diphtheria* Exclusion is not required unkess they are particulary unweil eocurs, consult your UKHSA HPT wi	2
Output Display Output	
Other veniting illness kept away from school or childcare setting Comments Infactious Diarrhoea and Vemiting (Gastroenteritis) Should be regarded as very infactious and must be kept away from school until the diarrhoea and vemiting (gastroenteritis) can b shigelia (baciliary dysaftery) An infaction in the gut causing diard and vemiting (gastroenteritis) can b and vemiting has stopped for at least 48 hours Viruses Theymust have been passing normal stools for at least 48 hours God hygiene, in particular handwa and vemiting has stopped for at least 48 hours Simulti ound structured viruses UNES and contents Comments Winter Vorniting Disease) Diver contents and very from school or childcare setting Exclusion from swimming to advise microbiology clearance and UKHSA will advise on these Other infections Recommended period to be kept away from school or childcare setting Comments Other infections Recommended period to be kept away from school or childcare setting Advise parents to seek advice imme there is a possibility their baby has consult with your UKHSA HPT Diphtheria* Exclusion is not required unless they are particularly unwal Spread is by salve, usually through or being in close contact with a can mest be accluded until cleared ton your UKHSA HPT UKHSA HPT Diphtheria* Exclusion is assential. Aways consult with your UKHSA HPT Spread is by salve, usually through or being in close contact wit	
Diarrhoea and Veniting (Gastroenteritis) Should be regarded as very infectious and must be kept away from school until the diarrhoea and vomiting has stopped for at least 48 hours An infection in the gut causing diarri and vomiting (gastroenteritis) can b passed to others. Singelia Bodilary dysentery) Ecoli 0157 Fore with the stopped for at least 48 hours Good hygiene, in particular handwa and vomiting to advisab momal stoots for at least 48 hours Good hygiene, in particular handwa and vomiting causitum stoots for at least 48 hours Viruses They must have been passing normal stoots for at least 48 hours Some Gastro Infections (Like E. coli 0357) require incrobiology clearance and UKHSA will advise on these Exclusion from swimming is advisab weeks after the diarrhoea has settle of land underse occurs, consult UKI Adiambeaa and vomiting chacklist / shoots can be found in the UKHSA. Other Infections Recommended period to be kept away from school or childcare setting Comments Other Infections Exclusion is not required unless they are particularly unweit Advise parents to seek advice imme to a possibility their baby has conjunctivitis. If an outbreak, idus occurs, consult wour UKHSA HPT Diphtheria* Exclusion is assential. Always consult with your UKHSA HPT Preventable by acclusion in the age after your UKHSA HPT whea bean seen Diphtheria* Exclusion is assential. Always consult with your UKHSA HPT Spread is by salive, usually through or being in clease contact with a can meating in clease corinact with a can meating in clease contact wit	
Other Infections kept away from school or childcare setting Comments Conjunctivitis (bacterial or viral) Exclusion is not required unless they are particularly unwell Advise parents to seek advice imme there is a possibility their baby has conjunctivitis. If an outbreak/dus occurs, consult your UKHSA HPT Diphtheria* Exclusion is essential. Always consult with your UKHSA HPT Preventable by vac cination. Family must be excluded until cleared to n your UKHSA HPT. UKHSA HPT will any contact tracing nece sary or being in clease contact with a can Treatment is recommended only in where it will chave been seen days after symptom onset if no jaundicej Hepatitis B*, C*, None Exclude until seven days after onset of jaundice (or seven days after symptom onset if no jaundicej Household contacts of individuals there it is and C and HV are blooc	a casily ining and initio le for two d. ISA HPT or icalth
Infections Kept away from school or childcare setting Comments Conjunctivitis (bacterial or viral) Exclusion is not required unless they are particularly unwell Advise parents to seek advice imme there is a possibility their baby has conjunctivitis. If an outbreak/dus occurs, consult your UKHSA HPT Diphthoria* Exclusion is essential. Aways consult with your UKHSA HPT Preventable by vaccination. Family must be excluded until cleared to n your UKHSA HPT. UKHSA HPT with any contact tracing necessary Glandular Fever None Spread is by salive, usually through or being in cleas contact with a can Treatment is recommanded only in where it wilce have been seen days after symptom onset if no jaundicej Hepatitis B*, C*, None if they are well enough Hepatitis B and C and HW are bloce WRESA HPT who will advise on ar need ed	
Conjunctivitis (bacterial or viral) Exclusion is not required unless they are particularly unwell there is a possibility their baby has conjunctivitis. If an outbreak (dus occurs, consult your UKHSA HPT Diphthoria* Exclusion is essential. Always consult with your UKHSA HPT Preventable by vaccination. Family must be excluded until cleared to n your UKHSA HPT. UKHSA HPT will any contact tracing necessary Glandular Fever None Spread is by salive, usually through or being in cleas contact with a can Treatment is recommended only in where it will co have been seen Head Lice None Treatment is recommended only in where it will co have been seen days after symptom onset if no jaundice (or seven days after symptom onset if no jaundice) Hepatitis B*, C*, None if they are well enough	
Diphtheria* Exclusion is essential. Aways consult with your UNHSA HPT must be excluded until cleared to if your UNHSA HPT. UKHSA HPT will any contact tracing necessary Glandular Fever None Spread is by saliva, usually through or being in cleas contact with a can the ad Lice Head Lice None Treatment is recommended only in where it will chave been seen onset of jaundice (or seven days after symptom onset if no jaundice) House bein seen Head the been seen through the been seen days after symptom onset if no meed ed Hepatitis B*, C*, None if the vare well enough Hepatitis Band C and HW are bloce writes that are not infectious through	nfective
Bead Lice None Treatment is recommended onlyin where I will be have been seen Hepatitis A* Exclude until seven days after onset of jaundice (or seven days after symptom onset if no jaundice) Household contacts of individuals the patitis B*, C*, None if the vare well enough Hepatitis B*, C*, None if the vare well enough Hepatitis B and C and HV are bloce well and the vare well enough	rturn by
Head Lice None where I we lice have been seen Hepatitis A* Exclude until seven days after onset of jaundice (or seven days after symptom onset if no jaundice) Household contacts of individuals in Hepatitis Amay occasionally require collision from school. Contact too UKHSA HPT who will advise on an need ed Hepatitis B*, C*, None if they are well enough Hepatitis B and C and HV are block Wruss that are not infectious throw	ler 🛛
Hepatitis A" days after symptom onset of jaundice (or seven days after symptom onset if no jaundice) Hepatitis B", C", None if they are well enough Hepatitis B and C and HV are blood Hepatitis B", C", None if they are well enough	
Hepatitis B*, C*, None if they are well enough viruses that are not infectious through	a al
HIVAIDS Casual contact. See OKHSAguidand document above	igh
Meningococcal Until recovered. There is no reason to exclude any siblings or other close contacts of the case from school Neningitis ACWY and B are prevent vacination. Contact local UKISA will advise on any action needed	HPT who
Hib and Pheumococcal Heningitis: Meningitis" due to other bacteria Until recovered UKHSA HPT who will advise on ar need ed	t local
Meningitis viral* There is no reason to exclude any siblings or other close contacts of the case from school Milder illness than bacterial mening	jttis.
Mumps (paramyxov/rus)* Exclude child for five days after onset of swelling It is very contagious and spread in s same way as a cold or flu. Preventable by vantable b	
Worm Infestations (Induding hookworm, roundworm, tapeworm, threadworm, and whipworm) None Treatment is recommanded for the household contacts	child and



www.cornwall.gov.uk

Pre-school, nursery, or childminder

treatment has been taken

* denotes a notifiable disease. It is a statutory requirement that doctors report a notifiable disease to the proper officer of the local authority (for some local authorities, this may be UKHSA) in addition, you may need to inform other regulating bodies, for example Office for Standards in Education (OFSTED) or Care Quality Commission (CQC). Please follow local policy.